

THE IMPLEMENTATION OF MULTI CRITERIA DECISION MAKING IN HANDLING CRIMINAL ACTIONS OF MARINE VIOLATION IN ALKI II AREA

Petrus Indra Cahyadi¹, Budisantoso W.², Okol Sri Suharyo³, Avando Bastari⁴

^{1,3,4}Indonesian Naval Technology College, STTAL, Surabaya, Indonesia

²Industrial Engineering Department, Institut Teknologi Sepuluh Nopember, Surabaya, Indonesia
e-mail: lealuna.navy50@gmail.com

ABSTRACT

One of the Main Duties of the Indonesian Navy (TNI AL) is to enforce the law and maintain security in the marine area of national jurisdiction in accordance with the provisions of national law and international law which are then manifested in Marine Security Operations (Opskamla) The Indonesian Navy Base is one of the Opskamla components. which functions to project the strength of the Indonesian Navy to the area of operation and provide ongoing administrative and logistical support to ensure the operational continuity of the elements of the Navy, carry out capacity building and conduct limited maritime security operations in the context of enforcing sovereignty and law at sea and carrying out coordination, regulation base defense. In the alternative selection of the Indonesian Navy Base in the Koarmada II work area, this study uses a combination of AHP and Topsis methods, the hierarchical structure modeling in the AHP method is influenced by the criteria and sub criteria, while for Topsis it is used as a ranking of the best alternative TNI AL bases as the initial position for Operation activities Marine Security The results obtained from the alternative weighting of the Indonesian Navy bases in sequence are the Banjarmasin Navy Base with a weight value of 0.959 more priority to be selected as a base for handling criminal offenses at sea, then the Nunukan Navy Base weight value 0.643 Palu weight value 0.589, Kendari weight value 0.333 Sangata has a weight value of 0.301, Kota Baru has a weight value of 0.265 and finally Toli-Toli has a weight value of 0.237.

Keywords : Opskamla, Naval Base, Selection of bases, Indonesian Archipelago Sea Lanes (ALKI II), Analytical Hierarchy Process (AHP), Topsis.

1. INTRODUCTION

Based on existing data, the number of criminal offenses at sea in Indonesian waters is the largest in the world, especially in ALKI II waters. This condition of course has a negative impact on the Indonesian government. Offenses at sea such as piracy and piracy have increased drastically in recent years and are estimated to cost the global economy more than \$ 7 billion per year (Ploch 2010). This has caught the attention of the United Nations, thus providing an international statement that the main motivation for pirate attacks is the financial gain obtained either through piracy and theft of cargo or ransoms collected after the kidnapping of ships and crew (Hastings 2009). A number of approaches to combat piracy have been implemented by various parties (Rengelink 2012). For example, the October 2008 UN Security Council resolution provided a legal basis for pursuing pirates into Somali territorial waters. UN sanctions in 2008 and a statement by the US president in 2010 prohibit ransom payments to lists of individuals known to be involved in piracy. Although various efforts have been made to reduce the crime of violations at sea, observers state that these efforts have not provided evidence of success (Shortland &

Vothknecht 2010). Thus, the ability to create new strategies that aim to reduce criminal offenses at sea such as piracy and piracy is needed.

So far, various efforts to overcome criminal acts of violations at sea have been carried out by the Indonesian government, both repressive and preventive. However, the efforts that have been made have not got maximum results because they have not gone through good planning and only take advantage of ships operating in these waters. A reliable intelligence capability and support is needed, both in terms of information accuracy and base readiness to be used as a starting point for the movement of ships and personnel in maritime security operations. A law enforcement operation at sea is said to be successful if the objectives can be achieved with minimal losses on one's part. There are several Indonesian Navy bases located in ALKI II waters. These bases include Lanal Palu, Lanal Kendari, Lanal Tolitoli, Lanal Nunukan, Lanal Sangatta, Lanal Kota Baru, Lanal Banjarmasin. Each of these bases has advantages and disadvantages with regard to the ability to provide support to KRI and personnel who are carrying out Marine Security Operations activities.

In this study, the authors used a method to consider the alternative selection of the Indonesian Navy Base that would serve as aju base based on qualitative and quantitative criteria. The Multi Criteria Decision Making combination model used is the weighting method with Fuzzy AHP (Analytical Hierarchy Process) and the ranking method with Technique For Others Reference by Similarity to Ideal Solution (TOPSIS).

2. ANALYTICAL METHODS

2.1. Decision Making Theory

This process is for determining and resolving organizational problems. The decision-making process in the human brain is basically choosing an alternative from many alternatives based on a number of criteria for a problem.

There are several methods in making decisions, including:

- a. Decision analysis - deterministic.
- b. Multi Criteria Decision Making (MCDM).
- c. Analytical Hierarchy Process (AHP).
- d. Analytical Network Process (ANP).

[Kadarsah Suryadi, 2000,138].

2.2 Selection of Bases

Determination of a strategic base is expected to be able to provide solutions in solving problems / obstacles faced in current conditions. In this paper, the authors use two models in determining strategic locations, namely Fuzzy AHP (Analytical Hierarchy Process) ranking method with Technique For Others Reference by Similarity to Ideal Solution (TOPSIS). This is intended so that the research conducted can obtain maximum results. Given that each model has a different function in solving the problems that will be raised in completing this paper. The Fuzzy AHP and TOPSIS methods emphasize the selection of an alternative to the Indonesian Navy Base which can be used as the most effective base.

2.2.1 Fuzzy Analytic Hierarchi Process (Fuzzy AHP)

According to Indradewi (2008), AHP fuzzy steps are:

- a. Changing linguistic variables in the form of fuzzy numbers.

Questionnaire data in the form of linguistic variables are converted into fuzzy numbers. Examples of fuzzy numbers for triangular fuzzy numbers (Triangular Fuzzy Number or TFN) are shown in

Table 1. Where the linguistic variables are converted into three fuzzy levels, namely low (c); medium (b); and high (b).

Linguistic Scale	Firm Value AHP	Scale TFN fuzzy (a, b, c)	Inverse
The two elements are equally important	1	(1,1,1+Δ)	(1,1,1/1+Δ)
One element approximates little more than the other	3	(3-Δ,3,3+Δ)	(1/3+Δ,1/3,1/3-Δ)
One element approaches more importance than the other	5	(5-Δ,5,5+Δ)	(1/5+Δ,1/5,1/5-Δ)
One element approaches absolute more importance than the other	7	(7-Δ,7,7+Δ)	(1/7+Δ,1/7,1/7-Δ)
One element is absolutely more important than any other	9	(9-Δ,9,9)	(1/9,9,1/9-Δ)
The value between two adjacent considerations	2,4,6,8		

- b. Compile a pairwise comparison matrix between all elements / criteria in the dimensional hierarchy system based on the assessment of linguistic variables.

$$\tilde{A} = \begin{pmatrix} 1 & a_{12} & L & L & a_{1j} \\ a_{21} & 1 & L & L & a_{2j} \\ M & O & M & & \\ a_{i1} & L & L & L & 1 \end{pmatrix} = \begin{pmatrix} 1 & a_{12} & L & L & a_{1j} \\ 1/a_{12} & 1 & L & L & 1/a_{1j} \\ M & O & M & & \\ 1/a_{i1} & L & L & L & 1 \end{pmatrix} \quad (2.1)$$

$$\alpha_{ij} = \begin{cases} 1 & \text{Criteria } i \text{ relatif important to } j \\ 1 & \text{Criteria } i \text{ same important to } j \\ 1/\alpha_{ji} & \text{Criteria } i \text{ less important to } j \end{cases}$$

c. Calculate the geometric mean of the respondents' ratings.

The next step is to recap the results of the assessment of all respondents and calculate the geometric mean of the lower limit value (c); middle value (a); the upper limit value (b) of all respondents. The following formula is used to calculate the geometric mean.

$$c = \sqrt[n]{c_1, c_2, \dots, c_n} \quad (2.2)$$

$$a = \sqrt[n]{a_1, a_2, \dots, a_n} \quad (2.3)$$

$$b = \sqrt[n]{b_1, b_2, \dots, b_n} \quad (2.4)$$

d. Defuzzification

After calculating the geometric mean, the result is defuzzified to get the crisp value of the geometric mean value of fuzzy numbers to be reprocessed in AHP. One of the defuzzification techniques is Center Of Gravity (COG). The formula for defuzzification is as follows:

$$COG = \frac{\frac{1}{(a-c)} \left[\frac{1}{3} x^3 - \frac{c}{2} x^2 \right]_c^a + \frac{1}{(a-b)} \left[\frac{1}{3} x^3 - \frac{b}{2} x^2 \right]_c^b}{\frac{1}{(a-c)} \left[\frac{1}{3} x^2 - cx \right]_c^a + \frac{1}{(a-b)} \left[\frac{1}{3} x^2 - bx \right]_c^b} \quad (2.5)$$

e. Calculating the weight with AHP

The weight calculation is carried out if the results of the questionnaire prove consistent, that is, if the Consistency Ratio (CR) value is <0.1. To get CR, the Consistency Index (CI) is calculated first. Here's the formula for calculating CI:

$$CI = \frac{\lambda_{maks} - n}{n-1} \quad (2.6)$$

Where :

λ_{maks} = maximum eigenvalues

n = size of the matrix

CI = Consistency Index

The CI value is compared with the Ratio Index (RI) value according to the matrix size so that the Consistency Ratio (CR) value is obtained.

The matrix is declared consistent if the CR value is not more than 0.1.

Table 2. : Ratio Index (RI)

n (ukuran matriks)	1	2	3	4	5	6	7	8	9	10
RI (Ratio Index)	0	0	0,58	0,9	1,12	1,24	1,32	1,41	1,45	1,49

2.2.2 Technique For Others Reference by Similarity to Ideal Solution (TOPSIS)

The steps for the TOPSIS method are as follows:

a. Create a normalization matrix

The r_{ij} elements resulting from the normalization of the R matrix are:

$$r_{ij} = \frac{x_{ij}}{\sqrt{\sum_{i=1}^m x_{ij}^2}} \quad (2.7)$$

b. Calculate the weight of the normalized matrix With the weight $W = (w_1, w_2, \dots, w_n)$, then the normalized weight of the matrix V is :

$$V = \begin{pmatrix} w_1 r_{11} & w_2 r_{12} & \dots & w_n r_{1n} \\ w_1 r_{21} & w_2 r_{22} & \dots & w_n r_{2n} \\ \dots & \dots & \dots & \dots \\ w_1 r_{m1} & w_2 r_{m2} & \dots & w_n r_{mn} \end{pmatrix}$$

c. Determine the ideal solution and the ideal solution negative. Positive ideal solution is denoted by (A+), while negative ideal solution is denoted by (A-):

$$A^+ = \{(\max v_{ij} \mid j \in J), (\min v_{ij} \mid j \in J')\},$$

$$i = 1, 2, 3, \dots, m \} = \{v_1^+, v_2^+, \dots, v_n^+\}$$

$$A^- = \{(\min v_{ij} \mid j \in J), (\max v_{ij} \mid j \in J')\},$$

$$i = 1, 2, 3, \dots, m \} = \{v_1^-, v_2^-, \dots, v_n^-\}$$

d. Calculating the separation

The alternative distance from the ideal positive solution (Si+) and the ideal negative solution (Si-) is defined as:

$$S_i^+ = \sqrt{\sum_{j=1}^n (v_{ij} - v_j^+)^2}, \text{ dengan } i=1, 2, 3, \dots, m \quad (2.8)$$

$$S_i^- = \sqrt{\sum_{j=1}^n (v_{ij} - v_j^-)^2}, \text{ dengan } i=1, 2, 3, \dots, m \quad (2.9)$$

e. Calculates the relative proximity to an ideal solution.

$$A = \frac{S_i^-}{S_i^+ + S_i^-}, 0 < A < 1 \text{ dan } i=1, 2, 3, \dots, m \quad (2.10)$$

f. Alternative Ranking

Alternatives can be ranked based on the order of A, therefore, the best alternative is the one that is the shortest distance from the ideal positive solution and the farthest distance from the ideal negative solution. Basically TOPSIS does not have a specific input model in solving a case, TOPSIS uses an input model adapted from other methods (for example: AHP, ELECTRE, etc.).

3. RESULT AND DISCUSSION

3.1 Fuzzy AHP method.

3.1.1. Data collection.

Questionnaire data is the main input used as calculation input to determine the priority of the Indonesian Navy Base in the Koarmada II working area which will be used as an auxiliary base for carrying out operational tasks using the Fuzzy Analytical Hierarchy Process (FAHP) method. These respondents already have sufficient competency expertise from academic provisions and official experience, especially regarding the handling of criminal offenses at sea.

3.2 TOPSIS Method.

a. Calculate the ideal alternative distance

Base	Si+	Si-
Banjarmasin	1,44387	7,82407
Kota baru	7,32869	1,81116
Nunukan	3,75735	5,54414
Palu	4,50833	4,71899
Sangata	7,42772	1,80355
Tolitoli	8,13271	0,81909
Kendari	7,20275	1,84159

c. Create Alternative rankings

Base	Weight	Ranking
Banjarmasin	0,8442	1
Nunukan	0,5960	2
Palu	0,5114	3
Kendari	0,2036	4
Sangata	0,1982	5
Kota baru	0,1954	6
Tolitoli	0,0915	7

4. CONCLUSIONS

4.1 Selected Indonesian Navy Bases Based on Criteria and Sub-criteria.

From the results of data processing using the Fuzzy AHP method, then it is analyzed according to the hierarchical structure to produce the following weights:

a. Based on the data collected from all respondents, the General Criteria have the highest weight rating (0.3868), the second rank is Technical Criteria (0.3183) and the third rank is Tactical criteria (0.2949). The factors of base position, mobility, ability to provide support and security from the monitoring of perpetrators of criminal offenses at sea were seen by respondents as factors that greatly influence the implementation of Opskamla. So that for the alternative selection of the Indonesian Navy Base to be used as a base, these factors must be considered.

b. Based on the data processing of the results of the questionnaire, the results of the weight of the Sub-criteria were obtained based on each of the criteria, namely the General Criteria for the sub-criteria of Location (0.2103), Mobility (0.2179), Support (0.3377) and Security (0.2341). Tactical Criteria, Hazard Level (0.3935), Groove (0.1706), Navigation Hazard (0.1858) and Communication (0.2501). Technical Criteria, Sub-criteria for Coordination Ability (0.4559), Investigation Ability (0.1876) and Opskamla Ability (0.3565). Sub-criteria Support for general criteria, sub-criteria The level of vulnerability on the tactical criteria and the sub-criteria for coordination capabilities on the technical criteria each rank 1 for the selection of the TNI AL Aju base. When viewed from the weighting results above, to accommodate the other criteria, it can be seen that

the selection of a TNI AL base is expected to pay attention to the factors of location, level of vulnerability and coordination ability.

c. Based on the results of data processing, the final weight value of the sub-criteria as a whole is rank 1 coordination ability (0.1344), 2. support (0.1306), 3. vulnerability (0.1253), 4. Opskamla ability (0.1051) , 5. Security (0.0906). 6. Mobility (0.0834), 7. Location (0.0813), 8. Communication (0.0794), 9. Navigation Hazard (0.0591), 10. Investigative ability (0.0553) and 11. Flow (0.0543).

4.2 Alternative Naval Base Selected Based on Rank.

From the results of data processing using the Fuzzy AHP method, then ranking using the TOPSIS method, the following results were obtained :

a. For alternative results, the selected Indonesian Navy Base is the Banjarmasin Navy Base (0.8419), the Nunukan Navy Base (0.5891), the Palu AL TNI Base (0.5092), Kendari Navy Base (0.2003), Sangata Base (0.1964), Pangkalan TNI AL Kota Baru (0.1961) and Pangkalan TNI AL Tolitoli (0.0894). The Banjarmasin Navy Base was chosen as a base for handling criminal offenses at sea. This is because of the 11 sub-criteria used, Lanal Banjarmasin ranks 1 in 7 sub-criteria, namely mobility, support, navigation hazards, communication, coordination skills, investigative skills and opskamla abilities. So that in order to make Lanal Banjarmasin a base in handling criminal offenses at sea, the 7 sub-criteria can be made a top priority in improving its quality.

b. In the sensitivity analysis to determine the change in ranking of the alternatives if there is a change in the weight of the criteria, it is found that the critical criteria for weight change are the location criteria (at + 0.5 weight changes) and the safety criteria (at + 0.5 changes). Changes in the weight of these two criteria resulted in changes in ranks 5 and 6, namely at the Sangata Navy Base and the New City Navy Base.

The results of the interviews and identification of problems were then carried out by arranging a hierarchy. The first level is the goal to be achieved, the second level is the criteria which are the determining factors in the process of determining the base, while the next level is the sub-criteria. At the last level, an alternative to the Indonesian Navy Base will be chosen. To determine the rank of each Pangkalan TNI AL alternative, the TOPSIS method is used by using the principle that the chosen alternative must have the closest distance from the positive ideal solution and the furthest from the negative ideal solution from a geometric point of view. A positive ideal solution is defined as the sum of all the highest scores that can be achieved for each criterion, while a negative ideal solution consists of all the lowest scores achieved for each criterion.

c. There are 7 (seven) Indonesian Navy bases along ALKI II which are used as alternative Aju bases, namely Lanal Banjarmasin, Lanal Nunukan, Lanal

Palu, Lanal Kendari, Lanal Sangata, Lanal Kota Baru and Lanal Tolitoli. The Banjarmasin Navy Base has the highest score based on the overall criteria with a value of 0.8842, so it is very appropriate to be used as a base for handling criminal offenses at sea. The weights generated in data processing for the seven bases have a significant difference in ranks 1 to 4. While for ranks 5 to 7 the resulting differences are relatively small.

ACKNOWLEDGEMENTS

The authors greatly acknowledge the support from Indonesian Naval Institute of Technology and Indonesian Navy Institution for providing necessary resources to carry out this research work. The authors are also grateful to the anonymous reviewers and journal editorial board for their many insightful comments, which have significantly improved this article.

REFERENCE

- Ada Suk Fung Ng, (2011), "A maritime security framework for fighting piracy", ISSN 1832-570X, INSTITUTE of TRANSPORT and LOGISTICS STUDIES The Australian Key Centre in Transport and Logistics Management The University of Sydney
- Chalk, (2010), *Piracy off the horn of Africa: scope, dimensions, causes and responses*. *Brown Journal of World Affairs*, 16(2), 89–108.
- Daman Afshan Hojat and Majlesi Monereh (2013), *GIS and the Analytic Hierarchy Process methods for site selection of waste landfills: a case study in iran*". (*International Journal of Geology, Earth & Environmental Sciences* ISSN: 2277-2081 (Online) An Online International Journal Available at <http://www.cibtech.org/jgee.htm> Vol.3 (3) September-December, pp.96-104/Hojat and Monereh,
- Defne et al. (2011), *Comparison of AHP and Fuzzy AHP for The Multicriteria Decision Making Process With Linguistic Evaluations*, *Journal of IstanbulTicaret Universities* (6), 15
- Dumais, Leo, (2001), *Kerjasama Asean dalam Menanggulangi Kejahatan Lintas Negara*, Jakarta
- Elio Marchione, Shane D Johnson and Alan Wilson (2014), *Modelling Maritime Piracy: A Spatial Approach*, (*Journal of Artificial Societies and Social Simulation* 17 (2) 9)
- Farahani, R.Z., and Asgari, N. (2006). *Combination of MCDM and Covering Techniques in a Hierarchical Model for Facility Location*
- Hastings, J. (2009). *Geographies of state failure and sophistication in maritime piracy hijackings*. *Political Geography*, 28(4), 213–223
- Kadarsah Suryadi, (2000), *Sistem Pendukung Keputusan suatu Wacana Struktural Idealis dan Implementasi Konsep Pengambilan Keputusan*, PT. Remaja Rosdakarya, Bandung.
- Kusumadewi, S. dan Purnomo, H. 2010, *Aplikasi Logika Fuzzy untuk Pendukung Keputusan*, Edisi 2, Penerbit Graha Ilmu, Yogyakarta, 1-29
- Mabes TNI AL (2013). *Data Hidro Oseanografi Lautan Indonesia*. Dinas Hidro Oseanografi, Jakarta.
- Mulyono, S. (1999). *Operation Research*. Fakultas Ekonomi, Universitas Indonesia, Jakarta.
- Muhammad Shakir, Zahir Ali, Manager Naveed Alam, (2011), *Developing a Model for Locating Suitable Schools Sites using Multi-criteria Decision Analysis and Geographic Information System Techniques*", *National Centre for Remote Sensing and Geo-Informatics (NCRG) SUPARCO HQs, Sector 28, Gulzar-i-Hijri Off University Road Pakistan*,
- Ozdogoglu, A. and Ozdogoglu, G., 2007, *Comparison of AHP and Fuzzy AHP for The Multicriteria Decision Making Process With Linguistic Evaluations*, *Journal of IstanbulTicaret Universities* (6), 65-85.
- PLOCH, L. (2010). *Piracy Off the Horn of Africa*. DIANE Publishing
- Prahasta, Eddy, (2005), *Sistem Informasi Geografis; Konsep konsep Dasar*, Cetakan Kedua, CV. Informatika, Bandung.
- Prahasta, Eddy, (2011), *Tutorial ArcGIS Desktop untuk Bidang Geodesi & Geomatika*; Cetakan Pertama, CV. Informatika, Bandung
- Rengelink, (2012), *Trends in Organized Crime*. Springer.
- Saaty, Thomas L. (1993). *Pengambilan Keputusan Bagi Para Pemimpin : Proses Hirarki Analitik untuk Pengambil Keputusan dalam Situasi yang Kompleks*. PT Pustaka Binaman Pressindo, Jakarta.
- Shortland & Vothknecht, (2010),). *Combating Maritime Terrorism off the Coast of Somalia*. Deutsches Institut für Wirtschaftsforschung, Germany.

Subroto, S. dan Wahyono (1983). *Konvensi PBB tentang Hukum Laut Internasional. Edisi Pertama*. Suya Indah, Jakarta.

Vahidnia, M.H. dkk., 2008, *Fuzzy Analytical Hierarchy Process in GIS Application*, *Journal of The International Archives of the Photogrammetry Remote Sensing and Spatial Information Sciences Faculty of Geodesy and Geomatics Eng. K.N. Toosi University of Technology* (37), 593-596

